

NOTICE OF AN APPLICATION FOR PLANNING PERMIT

The land affected by the application is located at:	CA 35 Sec B 20 Corcoran Road, Bunyip
The application is for a permit to:	Alterations and Additions to the existing dwelling
The applicant for the permit is:	Studio Three Design
The application reference number is:	T160848
You may look at the application and any documents that support the application at the office of the Responsible Authority:	Cardinia Shire Council 20 Siding Avenue Officer 3809 This can be done during office hours and is free of charge. Documents can also be viewed on Council's website www.cardinia.vic.gov.au .

Any person who may be affected by the granting of the permit may object or make other submissions to the responsible authority.

- An objection must
- * be sent to the Responsible Authority in writing, at Cardinia Shire Council, PO Box 7, Pakenham, Vic, 3810 or email at mail@cardinia.vic.gov.au
 - * include the name and address of the objector/ submitter
 - * include the application number and site address
 - * include the reasons for the objection, and
 - * state how the objector would be affected.


The Responsible Authority will not decide on the application before:	10 February 2017
--	------------------

If you object, the Responsible Authority will advise you of its decision.

Please be aware that copies of objections/submissions received may be made available to any person for the purpose of consideration as part of the planning process.




For additional information or advice contact Cardinia Shire Council, Planning Department on 1300 787 624 or mail@cardinia.vic.gov.au

Your objection/ submission and personal information is collected by Cardinia Shire Council for the purposes of the planning process as set out in the *Planning and Environment Act 1987*. If you do not provide your name and address, Council will not be able to consider your objection/ submission. Your objection/ submission will be available free of charge at the Council office for any person to inspect and copies may be made available on request to any person for the relevant period set out in the *P&E Act*. You must not submit any personal information or copyright material of third parties without their informed consent. By submitting the material, you agree that the use of the material as detailed above does not breach any third party's right to privacy and copyright.




This copied document is made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose. By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.

AREA ANALYSIS		
	m ²	sq.
EX. DWELLING (TO REMAIN)	146.63	15.78
EX. PORCH	14.73	1.59
EX. DECK	16.08	1.73
TOTAL	177.44	19.10
PROPOSED ADDITIONS	151.40	16.30
PROPOSED ALFRESCO	41.69	4.49
PROPOSED VERANDAH	21.28	2.29
TOTAL	214.37	23.07
GRAND TOTAL	391.81	42.17



PROPOSED SITE PLAN



DETAIL

NO CUT OR FILL REQUIRED

NO VEGETATION TO BE REMOVED

LEVELS SHOWN ARE TO ARBITRARY DATUM



studiothre&e
 DESIGN & DRAFTING P/L
 ABN: 61 301 788 101
 1/25 Treloar Lane
 Pakenham Vic 3810
 P (03) 5941 1258
 F (03) 5940 2317
 M 0413 122 391
 E info@studiothreedesign.com.au

client:- MR. & MRS. SCHAFFER
 project:- ALTERATIONS & ADDITIONS
 AT 20 CORCORAN ROAD
 BUNYIP



B	TOWN PLANNING REQUIREMENTS	MK	19.01.17
A	FIRST ISSUE	MK	13.12.16
no.	revision	by	date
scale:-	A5 SHOWN	Copyright warning: This document is owned by Federal copyright law. Copying in any shape or form, in whole or in part, without the written authorisation of the drafting professional and/or author referred to is strictly prohibited. Civil proceedings claiming damages or other remedies may be brought against persons found copying this document without permission.	
design:-	MK	bdcv	
drawn:-	MK	sheet:-	
check:-	RA	AO1 of AO4	
date:-	9.01.17	project no:-	
microads ref:-	9G D3	B 2612	
rbp:-	DP-AD415	A2	

GENERAL NOTES FOR DEMOLITION OF RESIDENTIAL WORKS (NCC 2015 BCA VOLUME 2) REVISED MAY 2015

- DN 01 All materials and work practices shall comply with, but not limited to, the Building Regulations 2006, the National Construction Code Series 2015 Building Code of Australia Volume 2 and all relevant current Australian Standards (as amended) referred to therein. These specifications specify only the minimum standard of work for the demolition works on residential projects, and all workmanship and precautions shall be to best trade practice.
- DN 02 Precautions must be taken before and during demolition in accordance with AS 2601-2001: The Demolition of Structures.
- DN 03 During the progress of the demolition the works shall be under the continuous supervision of the Demolisher or of an experienced foreman, and demolition shall be executed storey by storey commencing at the roof and working downwards.
- DN 04 The demolition must not be commenced until the precautionary measures have been inspected and approved by the Relevant Building Surveyor.
- DN 05 The Demolisher shall construct a temporary crossing placed over the footpath, as required by the Council.
- DN 06 No part of any external wall on or with 3.00m of a street alignment may be pulled down, except during the hours that the Relevant Building Surveyor directs.
- DN 07 Protective outriggers, fences, awnings, hoarding, barricades and the like must be installed where necessary to guard against danger to life or property or when required by the Relevant Building Surveyor.
- DN 08 Dust creating material, unless thoroughly dampened down, shall not be thrown or dropped from the building but shall be lowered by hoisting apparatus or removed by material chutes. All chutes shall be completely enclosed and a danger sign shall be at the discharge end of every chute.
- DN 09 All practicable precautions shall be taken to avoid danger from collapse of a building when any part of a framed or partly framed building is removed.
- DN 10 Demolished material shall not be allowed to remain on any floor or structure if the weight of the material exceeds the safe carrying capacity of the floor or structure, and such material shall not be so piled or stacked that it will endanger workmen or other persons, and shall be removed as soon as practicable from the site.
- DN 11 No wall, chimney or other structure or part of a structure shall be left unattended or unsupported in such a condition that it may collapse due to wind or vibration or otherwise become dangerous.
- DN 12 Before demolition is commenced, and also during the progress of such works, all electrical cable or apparatus which are liable to be a source of danger - other than cable or apparatus used for the demolition works - shall be disconnected.
- DN 13 Arrangements shall be made with the Relevant Electrical Supply Authority for the disconnection of electrical mains supply except that, where partial demolition is proposed, the licensed Electrical Contractor shall satisfy the relevant Electrical Supply Authority that the portion of the building to be demolished has been isolated.
- DN 14 The Demolisher shall be responsible for the disconnection of all telecommunication supplies.
- DN 15 The Demolisher shall be responsible to cut and seal any storm water, sewer pipes, water services, gas services and the like.
- DN 16 The position of capped sewer and storm water drains, sealed-off water supply lines, gas supply lines and the like are to be clearly marked on the site.
- DN 17 Any septic tank(s) on the demolition site shall be emptied and filled with clean sand, or removed entirely, and any soak wells, leach drains or similar apparatus shall be removed or filled with clean sand.
- DN 18 Any swimming pools, ponds or the like either on the demolition site or on the neighbouring allotments where affected by the demolition works shall be adequately fenced and made safe, so as to comply with AS 1926 Swimming Pool Safety Parts 1 & 2 prior to commencement of any demolition works.
- DN 19 Materials removed or displaced from the building shall not be placed in any street, road or right of way and, before commencing, where required, shall be kept sprayed with water so as to prevent any nuisance from dust.
- DN 20 Materials removed or displaced from the building being demolished or materials left standing shall not be burned on the demolition site.
- DN 21 Removal of buildings by road must be approved by relevant Councils Traffic Engineer.
- DN 22 A site management plan is to be implemented during demolition works to control sediment run-off in accordance with EPA Victoria publication #275: Construction Techniques for Sediment Pollution Control. Provide 'proper' or equivalent silt fences to the low side of the allotment and around all soil stockpiles and storm water inlet pits/sumps and install 'silt stop' filter bags over all storm water entry pits during demolition works. 'Supergro' or equivalent erosion control fabric to be placed over garden beds to prevent surface erosion during revegetation period.
- DN 23 It is the builder's responsibility to carry out an audit prior to the commencement of any works to determine if asbestos is present in the existing works. Where any asbestos product is found in the proposed works area during initial inspection or during the course of the demolition works the builder shall engage an authorised and registered contractor for safe removal and lawful disposal.

cap off all plumbing and electrical works if required
plaster walls or patch as required and make good

This copied document is made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose. By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.





EXISTING FLOOR / DEMOLITION PLAN

studiothre
DESIGN & DRAFTING P/L
ABN: 61 301 788 101
1/25 Treloar Lane
Pakenham Vic 3810
P (03) 5941 1258
F (03) 5940 2317
M 0413 122 3971
E info@studiothreedesign.com.au

client:- MR. & MRS. SCHAFFER
project:- ALTERATIONS & ADDITIONS
AT 20 CORCORAN ROAD
BUNYIP

B	TOWN PLANNING REQUIREMENTS	MK	19.01.17
A	FIRST ISSUE	MK	13.12.16
no.	revision	by	date
scale:-	1:100	Copyright warning: This document is protected by Federal copyright law. Copying in any shape or form, in whole or in part, without the written authorisation of the drafting professional and/or author referred to is strictly prohibited. Civil proceedings claiming damages or other remedies may be brought against persons found copying the document without permission.	
design:-	MK	bdv Building Design Victoria	
drawn:-	MK		
check:-	RA	sheet:-	
date:-	20.10.16	A02 of A04	
vicroads ref:-	9G D3	project no:-	
rbp:-	DP-AD415	issue:-	B
		project no:-	2612





PROPOSED FLOOR PLAN

This copied document is made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose. By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.


studiothr&e
 DESIGN & DRAFTING P/L
 ABN: 61 301 788 101
 1/25 Treloar Lane
 Pakenham Vic 3810
 P (03) 5941 1258
 F (03) 5940 2317
 M 0413 122 391
 E info@studiothre.design.com.au

client:- MR. & MRS. SCHAFFER
 project:- ALTERATIONS & ADDITIONS
 AT 20 CORCORAN ROAD
 BUNYIP


B	TOWN PLANNING REQUIREMENTS	MK	19.01.17
A	FIRST ISSUE	MK	13.12.16
no.	revision	by	date
scale:-	1:100	Copyright warning: This document is protected by Federal copyright law. Copying in any shape or form, in whole or in part, without the written authorisation of the drafting professional and/or author referred to is strictly prohibited. Civil proceedings claiming damages or other remedies may be brought against persons found copying the document without permission.	
design:-	MK	 BUNYIP DESIGN & DRAFTING	
drawn:-	MK		
check:-	RA	sheet:-	A03 of A04
date:-	20.10.16		
microads ref:-	9G D3		
rbp:-	DP-AD415	issue:-	project no:-
		B	2612




NORTH ELEVATION



EAST ELEVATION



SOUTH ELEVATION



WEST ELEVATION

This copied document is made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose. By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.

COLOUR AND MATERIALS SCHEDULE		
ITEM	MATERIAL	COLOUR
ROOFING	COLORBOND	LIGHT GREY
DOWN PIPES & GUTTERS	COLORBOND	LIGHT GREY
WEATHERBOARDS	TIMBER	LIGHT BROWN
WINDOWS	ALUMINIUM	WHITE
POSTS	TIMBER	WHITE
BASE BOARDS	TIMBER	LIGHT BROWN

studiothr&e
 DESIGN & DRAFTING P/L
 ABN: 61 301 788 101
 1/25 Treloar Lane
 Pakenham Vic 3810
 P (03) 5941 1258
 F (03) 5940 2317
 M 0413 122 391
 E info@studiothreedesign.com.au

client:- MR. & MRS. SCHAFFER	
project:- ALTERATIONS & ADDITIONS AT 20 CORCORAN ROAD BUNYIP	
B TOWN PLANNING REQUIREMENTS	MK 19.01.17
A FIRST ISSUE	MK 13.12.16
no. revision	by date
scale:- 1:100	Copyright warning: This document is protected by Federal copyright law. Copying in any shape or form, in whole or in part, without the written authorisation of the drafting professional and/or author referred to is strictly prohibited. Civil proceedings claiming damages or other remedies may be brought against persons found copying this document without permission.
design:- MK	sheet:-
drawn:- RA	
check:- RA	A04 of A04
date:- 20.10.16	issue:-
vicroads ref:- 9G D3	project no:-
rbp:- DP-AD415	B 2612